



**CPSO**

Serving the people of Ontario through  
effective regulation of medical doctors

## **OUT OF HOSPITAL PREMISES INSPECTION PROGRAM ADULT CHRONIC PAIN MANAGEMENT CHECKLIST**

**Modifications and Exemptions have been made to the following Out-of-Hospital Premises Inspection Program Standards for Adult Chronic Pain Management:**

- 4.2 Procedure Room/Operating Room Physical Standards**
- 4.3 Recovery-Area Physical Standards**
- 4.6 Drugs for Resuscitations**
- 4.7 Monitoring and Resuscitation Requirements**
- 6.2/6.3 Pre-Procedure Requirements**
- 6.4 Verification Process**
- 6.8 Intra-Procedure Patient Care for Sedation, Regional Anesthesia or General Anesthesia**
- 6.9 Post-Procedure Patient Care**
- 6.10 Patient Discharge**

*Please Note: Adult Chronic Pain Management premises must comply with all other requirements as listed in the Out-of-Hospital Premises Inspection Program Standards.*

**OHPIP STANDARD 4.2.2 Ventilation**

*Please Note: OHPIP Standard 4.2.2.2 and OHPIP Standard 4.2.2.3 does not apply to adult chronic pain management OHPs unless it's used.*

Indicator	C	NC	N/A	Notes
1. Ventilation must ensure patient and staff comfort; and fulfill occupational health and safety requirements.				
2. Where applicable, ventilation and air circulation should be augmented to meet manufacturer's standards and address procedure-related air-quality issues; e.g., cautery smoke, endoscopy, disinfecting agents (e.g., Glutacide venting is separate from the other internal ventilation).				
3. Where gas sterilization is used, a positive pressure outbound system is used, vented directly to the outside.				

**OHPIP STANDARD 4.2.3 Equipment**

*Please Note: OHPIP Standards 4.2.3.3e and 4.2.3.3f are not applicable for adult chronic pain management OHPs*

1. Medical equipment must be maintained and inspected yearly by a qualified biomedical technicians.				
2. The following documentations for equipment is available: a) equipment operating manuals b) equipment maintenance contracts c) log for maintenance of all medical devices (e.g suction machines) d) equipment necessary for emergency situations (i.e. Defibrillator, oxygen supply, suction) should be inspected on a weekly basis and documented.				
3. The following equipment is provided in all OHPs: a) cleaning equipment as required for the specific procedures b) accessible anesthetic material and equipment c) blood pressure and oxygen saturation monitoring equipment d) sterile supplies and instruments (If packs are used they must be sterile) g) suction equipment and backup suction, for anesthesia provider's exclusive use.				

**OHPIP STANDARD 4.3.1 Physical requirements**

A sink for hand washing is accessible.

**OHPIP STANDARD 4.3.2 Size and layout**

*Please Note: OHPIP Standard 4.3.2 does not apply to adult chronic pain management OHPs.*

**OHPIP STANDARD 4.3.3 Equipment**

Monitoring, suction, oxygen, and bag-valve mask devices, intravenous and other medical supplies are immediately available.

**OHPIP STANDARD 4.6 Drugs for Resuscitation \*\*\*\*All levels**

Indicator	C	NC	N/A	Notes
a) Diphenhydramine				
b) Epinephrine for injection				
c) Salbutamol				
d) Intralipid if Bupivacaine/Ropivacaine is used				
e) Oxygen				

**OHPIP STANDARD 4.6 Drugs for Resuscitation \*\*\*\*Level 2 only**

*Please Note: The following medications listed in the OHPIP Standards does not apply to adult chronic pain management OHPs: b, f, g, j, l, o, r*

Indicator	C	NC	N/A	Notes
a) Amiodarone IV				
c) ASA 81 mg po				
d) Atropine IV				
e) Benzodiazepine IV (at least one of the following: Midazolam, Diazepam, or Lorazepam)				
h) Dextrose 50% IV				
i) Diphenhydramine IV				
k) Hydrocortisone IV 100mg or 500mg				
m) MHAUS treatments if triggering agents present, following MHAUS guidelines				
n) Naloxone IV (if narcotics are stocked)				
p) Nitroglycerine spray				
q) Pressor IV (at least <b>two</b> of the following: Epinephrine, Ephedrine, Vasopressin, or Phenylephrine)				

OHPIP STANDARD 4.7 Monitoring and Resuscitation Requirements				
Indicator	C	NC	N/A	Notes
<b>****Level 1 Only</b>				
a) AED				
<b>****All levels</b>				
b) IV setup				
c) Adequate equipment to manage local anesthetic toxicity.				
d) Appropriate sized equipment for infants and children, if required..				
<b>****Levels 2 and 3 only</b>				
e) Assortment of disposable syringes, needles, and alcohol wipes				
f) Cardiopulmonary resuscitation equipment with current ACLS/ PALS-compatible defibrillator				
g) ECG monitor				
h) Intubation tray with a variety of appropriately sized blades, endotracheal tubes, and oral airways				
i) Laryngeal mask airways				
j) Means of giving manual positive pressure ventilation (e.g., manual self-inflating resuscitation device)				
k) Qualitative and quantitative means to verify end-tidal CO2 <b>Please Note: Level 2 adult chronic pain management OHPs are not required to have quantitative means to verify end-tidal CO2</b>				
l) Oxygen source				
m) Pulse oximeter				
n) Suction with rigid suction catheter				
o) Torso backboard				

**OHPIP STANDARD 6.3 Pre-Procedure Requirements**

*Please Note: In a level 1 or 2 adult chronic pain management OHP where sedation is not performed the following Pre-procedure standards are applied:*

Indicator	C	NC	N/A	Notes
<b>Before day of procedure:</b> 1. Provide fasting instructions as required for the procedure, specific conditions (e.g. diabetes), and for medications the patient routinely takes (e.g. diabetic medications, antihypertensives, antiplatelets).				
<b>Before or On day of Procedure:</b> 4. Conduct pre-procedure assessment that includes, but is not limited to: a) History and physical examination that includes findings indicating the rationale for the proposed procedure b) All current medications (prescribed and non-traditional, e.g. herbal remedies) c) Weight, height, body mass index (BMI), blood pressure and pulse d) Allergies e) ECG, laboratory tests, x-rays, pre-procedure consultation, and investigations (all as indicated).				

**OHPIP STANDARD 6.4/6.5/6.6 Verification Process:**

**Verification process, Standards 6.4/6.5/6.6/6.7-** Minimal verification is required in pain management OHPs and should only include verifying the patient, the procedure, and ensuring the patient chart corresponds to the patient.

**OHPIP STANDARD 6.8 Intra-Operative Patient Care**

*The following patient discharge standards are applied:*

6.8.1. A second person is required on the premises that is a Regulated Health Professional (as per the Standard) who has current BLS certificate.				
6.8.2. The patient should be appropriately attended by the physician, or second individual that is a Regulated Health Professional as defined above, from the beginning until the time they leave the premises.				
6.8.3. If clinically indicated, patient monitoring should include (i) O2 saturation, (ii) blood pressure, and (iii) pulse.				

**OHPIP STANDARD 6.9 Post-Procedure Patient Care**

*This section does not apply to adult chronic pain management OHPs.*

**OHPIP STANDARD 6.10 Patient Discharge**

*The following patient discharge standards are applied:*

6.10.3. Appropriate verbal and written post-discharge instructions are given to the patient and the accompanying adult.				
6.10.4. The patient and accompanying adult are instructed to notify the OHP of any unexpected admission to a hospital within 10 days of the procedure.				